

Supplementary Table

List of plants of natural habitats (North and Central Vietnam) tested for the presence of poly-cis-prenols

Family	Species	Chain length (number of isoprene units)	Approximate content (% dry weight)
<i>Acanthaceae</i>			
	<i>Andrographis paniculata</i>	n.d.	n.d.
	<i>Justicia gendarussa</i>	n.d.	n.d.
<i>Aceraceae</i>			
	<i>Acer laurinum</i>	10,11,12	0.2 – 0.4
	<i>Acer tonkinensis</i>	n.d.	n.d.
<i>Actinidaceae</i>			
	<i>Saurauia roxburghii</i> Wall.	n.d.	n.d. ^a n.d. ^b
<i>Agavaceae</i>			
	<i>Sansevieria sp.</i>	n.d.	n.d.
<i>Alangiaceae</i>			
	<i>Alangium kurzii</i>	n.d.	n.d.
<i>Amaranthaceae</i>			
	<i>Celosia argentea</i>	11,12,13,14	0.4-1.0
<i>Anacardiaceae</i>			
	<i>Dracontomelum duperreanum</i> Pierre	12,13	0.2-0.4
	<i>Semacarpus caudatus</i> Pierre	n.d.	n.d.
	<i>Mangifera foetida</i>	n.d.	n.d.
	<i>Mangifera indica</i>	n.d.	n.d.
<i>Ancistrocladaceae</i>			
	<i>Ancistrocladus cochinchinensis</i>	12,13	0.1-0.2
<i>Annonaceae</i>			
	<i>Annona glabra</i>	10,11	0-0.1
	<i>Annona muricata</i>	11,12,13	0.2-0.4
	<i>Annona squamosa</i>	10,11	1.0-2.0
	<i>Orophea polycarpa</i>	11,12	0.1-0.2
	<i>Artabotrys aff.aeneus</i>	n.d.	n.d.
	<i>Cananga odorata</i>	10,11	2.0-4.0
	<i>Polyanthia aff.parvifl.ridley</i>	11,12	0.1-0.2
<i>Apocynaceae</i>			
	<i>Alstonia scholaris</i>	n.d.	n.d.
	<i>Alyxia crassifolia</i>	n.d.	n.d.
	<i>Kopsia sp.</i>	n.d.	n.d.
	<i>Tabernomontana bovina</i>	n.d.	n.d.
	<i>Polyanthia aff. parviflora</i>	n.d.	n.d.
	<i>Tabernomontana buffalina</i>	n.d.	n.d.
	<i>Tabernomontana divarticata</i>	n.d.	n.d.
	<i>Wrightia annamensis</i>	n.d.	n.d.
	<i>Wrightia tomentosa</i> var.cochinchinensis	n.d.	n.d.
<i>Araceae</i>			

	<i>Alocasia macrorrhiza</i>	n.d.	n.d.
	<i>Pothos scandens</i>	n.d.	n.d.
	<i>Raphidophora decursiva</i>	n.d.	n.d.
<i>Araliaceae</i>			
	<i>Aralia armata</i>	n.d.	n.d.
	<i>Polycias folicifolia</i>	n.d.	n.d.
	<i>Schefflera octophylla</i>	n.d.	n.d.
	<i>Trevesia sp.</i>	11,12,13,14	0.2-0.4
<i>Areaceae</i>			
	<i>Calamus tonkinensis</i>	n.d.	n.d. ^a n.d. ^b
	<i>Licuala ternata</i>	n.d.	n.d.
	<i>Pinanga annamensis</i>	n.d.	n.d.
<i>Aristolochiaceae</i>			
	<i>Aristolochia cf. saccata</i>	11,12,13	0.4-1.0
	<i>Aristolochia tagala</i>	10,11,12	1.0-2.0
<i>Asclepiadaceae</i>			
	<i>Cryptolepis sinensis</i>	n.d.	n.d.
	<i>Streptocaulon juvenas</i>	n.d.	n.d.
<i>Asteraceae</i>			
	<i>Blumea balsamifera</i>	n.d.	n.d.
	<i>Blumea megacephala</i>	n.d.	n.d.
	<i>Chromolaena odorata</i>	n.d.	n.d.
<i>Betulaceae</i>			
	<i>Betula alnoides Buch.Ham</i>	n.d.	n.d.
<i>Bignoniaceae</i>			
	<i>Oroxylon indicum</i>	n.d.	n.d.
<i>Bombaceae</i>			
	<i>Ceiba pentandra</i>	10,11,12,13	2.0-4.0
<i>Buddleiaceae</i>			
	<i>Buddleia asiatica</i>	n.d.	n.d.
<i>Burseraceae</i>			
	<i>Canarium bengalense</i>	11,12	0.1-0.2
	<i>Canarium sp.</i>	n.d.	n.d.
<i>Campanulaceae</i>			
	<i>Pratia nummularia</i>	n.d.	n.d.
<i>Capparaceae</i>			
	<i>Capparis acutifolia</i>	n.d.	n.d.
	<i>Clematicis granulata</i>	n.d.	n.d.
<i>Caprifoliaceae</i>			
	<i>Sambucus javanica</i>	n.d.	n.d.
	<i>Viburnum lutescens</i>	n.d.	n.d.
<i>Celastraceae</i>			
	<i>Euonymus mitratus Pierre</i>	n.d.	n.d.
<i>Chloranthaceae</i>			
	<i>Cloranthus erectus</i>	n.d.	n.d.
<i>Combretaceae</i>			
	<i>Terminalia catappa</i>	n.d.	n.d.

<i>Convolvulaceae</i>			
	<i>Ipomea boissiana</i>	n.d.	n.d.
	<i>Ipomea umbellata</i>	11,12; 15-20	0.1-0.2
	<i>Lepistemon binectariferum</i>	n.d.	n.d.
	<i>Merremia umbellata</i>	n.d.	n.d.
	<i>Xenostegia tridentata</i>	n.d.	n.d.
<i>Cucurbitaceae</i>			
	<i>Momordica cochinchinensis</i>	10,11; 15,16,17	0.2-0.4
	<i>Sechiun edule</i>		n.d.
<i>Cuscutaceae</i>			
	<i>Cuscuta japonica</i>	n.d.	n.d.
<i>Cyatheaceae</i>			
	<i>Cyathea podophylla (Hook.) Copel</i>	n.d.	n.d.
<i>Diksoniaceae</i>			
	<i>Dicranoptereis linearis</i>	n.d.	n.d.
<i>Dilleniaceae</i>			
	<i>Dillenia hookeri</i>	n.d.	n.d.
	<i>Tetracera scandens</i>	n.d.	n.d.
<i>Dipterocarpaceae</i>			
	<i>Dipterocarpus alatus Roxb</i>	n.d.	n.d.
	<i>Dipterocarpus imbricatus</i>	n.d.	n.d.
	<i>Dipterocarpus ret.ssp.tonk. Chech.</i>	n.d.	n.d.
	<i>Hopea odorata</i>	n.d.	n.d.
	<i>Parashorea chinensis</i>	n.d.	n.d.
<i>Ebenaceae</i>			
	<i>Diospyros ambryopteris Fers.</i>	n.d.	n.d.
	<i>Diospyros decandra</i>	n.d.	n.d.
<i>Elaeocarpaceae</i>			
	<i>Elaeocarpus angustifolius Bl.</i>	n.d.	n.d.
	<i>Elaeocarpus coactilus Gagnep.</i>	n.d.	n.d.
	<i>Elaeocarpus poilanei</i>	n.d.	n.d.
<i>Eleagnaceae</i>			
	<i>Eleagnus sarmentosus</i>	n.d.	n.d.
<i>Ericaceae</i>			
	<i>Arbutus sp.</i>	n.d.	n.d.
	<i>Rhododendron simsii</i>	n.d.	n.d.
<i>Euphorbiaceae</i>			
	<i>Acalypha wilkosiana Muell.</i>	n.d.	n.d.
	<i>Antidesma ghaesembilla</i>	12,13,14	1.0-2.0 ^a 0.2-0.4 ^b
	<i>Baliospermum</i>	n.d.	n.d.
	<i>Bishofia javanica</i>	n.d.	n.d.
	<i>Breynia fruticosa</i>	n.d.	n.d.
	<i>Brenzia sp.</i>	10,11	0.0-0.1
	<i>Clausena excavata</i>	12,13	0.2-0.4
	<i>Croton tauranensis</i>	n.d.	n.d.
	<i>Endospermum chinense</i>	16,17,18	0.0-0.1
	<i>Flueggea virosa</i>	n.d.	n.d.

	<i>Euphorbia sp.</i>	n.d.	n.d.
	<i>Euphorbia sp.</i> (<i>Viburnum</i> -like)	n.d.	n.d.
	<i>Glochidion eriocarpum</i>	n.d.	n.d.
	<i>Glochidion hypoleucum</i> Boer.	10,11	0.0-0.1
	<i>Homonoia riparia</i>	10,11	0.1-0.2
	<i>Hura crepitans</i>	11,12	0.4-1.0
	<i>Macaranga denticulata</i>	10,11	0.2-0.4 ^a n.d. ^b
	<i>Mallotus floribundus</i>	10,11,12	0.1-0.2
	<i>Mallotus paniculatus</i>	10,11;15-20	0.2-0.4
	<i>Mallotus philipensis</i>	n.d.	
	<i>Sapium baccatum</i> Roxb	n.d.	
	<i>Sapium discolor</i>	10,11	0.4-1.0
<i>Fabaceae</i>			
	<i>Acacia auriculariformis</i> A.C.ex Benth	11,12,13	2.0-4.0
	<i>Acacia mangium</i>	11,12,13	0.1-0.2 ^a 0.1-0.2 ^b
	<i>Albizia procera</i> (Roxb.) Benth	n.d.	
	<i>Archidendron clyperia</i>	12,13	0.2-0.4
	<i>Archidendron poilanei</i>	12,13,14	0.2-0.4
	<i>Archidendron sp.</i>	12,13,14	1.0-2.0
	<i>Bauhinia lorantha</i> Pierre ex Gagnep	11,12	0.2-0.4
	<i>Bauhinia saiginensis</i>	n.d.	
	<i>Bauhinia sp.</i>	11,12	0.1-0.2 ^a n.d. ^b
	<i>Bauhinia pururea</i>	n.d.	n.d. ^a n.d. ^b
	<i>Bauhinia zoliene</i> Tren	n.d.	n.d.
	<i>Bauhinia wallichii</i>	n.d.	n.d.
	<i>Cassia sp.</i>	10	0.0-0.1
	<i>Cassia fistula</i>	11,12	0.2-0.4
	<i>Cassia siamea</i> Lamk	11	0.0-0.1
	<i>Cratoxylon formosum</i>	n.d.	n.d.
	<i>Dalbergia tonkinensis</i>	n.d.	n.d.
	<i>Derris aff.laotica</i>	n.d.	n.d.
	<i>Erythrina variegata</i>	10,11,12	0.1-0.2
	<i>Milletia nigrescens</i> Gagnep.	n.d.	
	<i>Pongamia pinnata</i> (L.) Merr.	11,12	0.4-1.0
	<i>Peltophorum tonkinensis</i>	n.d.	n.d.
	<i>Pterocarpus indicus</i>	n.d.	n.d.
	<i>Sindora siamensis</i> Tecps.exMiq.	n.d.	n.d.
	<i>Saraca dives</i> Piuerre	n.d.	n.d.
	<i>Tamarindus indica</i>	10,11	0.0-0.1
<i>Fagaceae</i>			
	<i>Castanopsis ceratacantha</i> Rehd. & Wils.	n.d.	n.d.
	<i>Castanopsis chapaensis</i> Toan	11,12	0.1-0.2
	<i>Lithocarpus pissa</i>	n.d.	
	<i>Quercus poilanei</i> Hance	11,12	0.2-0.4 ^a

			0.0-0.1 ^b
<i>Flacourtiaceae</i>			
	<i>Homalium petelotii</i> Merr.	10,11	0.0-0.1
<i>Gesneriaceae</i>			
	<i>Aeschynanthus acuminata</i>	n.d.	n.d. ^a n.d. ^b
<i>Gnetaceae</i>			
	<i>Gnetum montanum</i>	n.d.	n.d. ^a n.d. ^b
<i>Hamamelidaceae</i>			
	<i>Liquidambar formosana</i>	n.d.	n.d.
	<i>Simingtonia populnea</i>	n.d.	n.d.
<i>Hernandiaceae</i>			
	<i>Illigera rhodanta</i>	10,11	0.1-0.2
<i>Hydrangeaceae</i>			
	<i>Dichroa febrifuga</i>	n.d.	n.d.
	<i>Dichroa hirsuta</i>	n.d.	n.d.
<i>Hypoxidaceae</i>			
	<i>Curculigo capitulata</i>	n.d.	n.d.
<i>Icacinaceae</i>			
	<i>Gomphandra hainanensis</i>		n.d.
	<i>Gompandra tetrandra</i>	n.d.	n.d. ^a n.d. ^b
	<i>Iodes cirrosa</i>		n.d.
<i>Illiciaceae</i>			
	<i>Illicium parviflorum</i>	n.d.	n.d.
<i>Juglandaceae</i>			
	<i>Engelhardtia spicata</i>	10,11,12	0.0-0.1
<i>Lamiaceae</i>			
	<i>Hyptis suaveolens</i>	n.d.	n.d.
	<i>Leucas zeylanica</i>	n.d.	n.d.
<i>Lauraceae</i>			
	<i>Actinodapne pilosa</i>	n.d.	n.d.
	<i>Cassytha filiformis</i>	n.d.	n.d.
	<i>Cinnamonum sp.</i>	n.d.	n.d.
	<i>Cinnamonum camphora</i>	10,11	0.2-0.4
	<i>Cinnamonum caryophyllus</i>	n.d.	n.d.
	<i>Cinnamonum longipetiolatum</i>	n.d.	n.d.
	<i>Cinnamonum mairei</i>	10,11	0.2-0.4
	<i>Dehaasia cunneata</i> (Blume)	11,12	0.1-0.2
	<i>Lindera myrrha</i>	10,11;14	0.1-0.2
	<i>Litsea cubeba</i>	10,11,12	0.4-1.0
	<i>Litsea sp.</i>	n.d.	
	<i>Litsea glutinosa</i>	10,11,12,13	2.0-4.0
	<i>Litsea sp.</i>	11,12,13	0.4-1.0
	<i>Neolitsea sp.</i>	n.d.	n.d.
<i>Lecythidaceae</i>			
	<i>Barringtonia acutangula</i>	n.d.	n.d.
	<i>Barringtonia sp.</i>	n.d.	n.d.

	<i>Barringtonia racemosa</i>	n.d.	n.d.
<i>Liliaceae</i>			
	<i>Disporum trabeculatum</i> Gagnep.	10	1.0-2.0
<i>Loganiaceae</i>			
	<i>Strychno nux-vomica</i>	n.d.	n.d.
<i>Lycopodiaceae</i>			
	<i>Lycopodium cernuum</i>	n.d.	n.d.
<i>Lygodiaceae</i>			
	<i>Lygodium flexuosum</i>	n.d.	n.d.
<i>Lythraceae</i>			
	<i>Lawsonia inermis</i>	n.d.	n.d.
<i>Magnoliaceae</i>			
	<i>Michelia alba</i>	10,11,12	2.0-4.0
	<i>Michelia foveolata</i>	11,12	0.2-0.4
<i>Malvaceae</i>			
	<i>Abelmoschus moschatus</i>	10	0.1-0.2
	<i>Abutilon indicum</i>	11,12	0.1-0.2
	<i>Hibiscus mutabilis</i>	11,12	1.0-2.0
	<i>Hibiscus tiliaceus</i>	11,12,13,14	2.0-4.0 ^a 0.4-1.0 ^b
	<i>Sida mysorensis</i>	10,11,12	1.0-2.0
	<i>Sida rhombifolia</i>	n.d.	
	<i>Urena lobata</i>	10,11,12	0.4-1.0 ^a 0.1-0.2 ^b n.d. ^c
<i>Melastomataceae</i>			
	<i>Medinilla subsessilis</i>	n.d.	n.d.
	<i>Melastoma candidum</i>	13,14,15	0.1-0.2 ^a n.d. ^b
	<i>Melastoma palaceum</i>	n.d.	n.d. ^a n.d. ^b
	<i>Melastomaceae sp.</i>	n.d.	n.d.
<i>Meliaceae</i>			
	<i>Aphanamyxis polystachya</i> (Wall.) R.N.Parker	n.d.	n.d.
	<i>Chukrasia tabularis</i> A.Juss.	11,12	0.1-0.2
	<i>Khaya senegalensis</i> Juss.	12,13	0.2-0.4 ^a n.d. ^b
	<i>Melia azedarach</i>	n.d.	n.d.
	<i>Swietenia macrophylla</i>	n.d.	n.d.
<i>Menispermaceae</i>			
	<i>Commersonia bartramia</i>	10,11,12	>4.0
	<i>Cyclea tonkinensis</i>	n.d.	n.d.
	<i>Stephania sinica</i> Diels	n.d.	n.d.
<i>Mimosaceae</i>			
	<i>Adenantha microsperma</i> Reyson	11,12	0.2-0.4
<i>Moraceae</i>			
	<i>Artocarpus chapiasha</i> Roxb.	11,12	0.1-0.2
	<i>Artocarpus heterophyllus</i>	10,11,12; 15-22	0.2-0.4

	<i>Broussonetia papyrifera</i>	11,12	0.0-0.1
	<i>Ficus aff. Vasculosa Wall, ex Miq.</i>	11,12	0.2-0.4
	<i>Ficus auriculata</i>	10,11	0.0-0.1
	<i>Ficus benjamina</i>	10,11	1.0-2.0
	<i>Ficus elastica</i>	10,11,12	1.0-2.0
	<i>Ficus fistula</i>	11,12,13	0.4-1.0
	<i>Ficus fulva</i>	10,11	0.2-0.4
	<i>Ficus hirta</i>	n.d.	n.d.
	<i>Ficus hispida</i>	n.d.	n.d.
	<i>Ficus lakokensis</i>	11,12,13	0.2-0.4
	<i>Ficus microcarpa L.</i>	10,11,12	0.1-0.2
	<i>Ficus praetermissa</i>	10,11,12	2.0-4.0
	<i>Ficus sarmentosa</i>	n.d.	n.d.
	<i>Ficus subpyriformis</i>	10,11,12	0.1-0.2 ^a 0.0-0.1 ^b n.d. ^c
	<i>Maclura cochinchinensis</i>	n.d.	n.d.
<i>Myricaceae</i>			
	<i>Myrica esculenta</i>	10	0.1-0.2
<i>Myristicaceae</i>			
	<i>Knema squamulosa</i>	n.d.	n.d. ^a n.d. ^b
<i>Myrsinaceae</i>			
	<i>Ardisia crenata</i>	n.d.	n.d.
	<i>Ardisia quinquegona</i>	10,11,12	n.d.
	<i>Embelia pulchella Mez.</i>	n.d.	n.d.
	<i>Masae balansae</i>	n.d.	n.d.
<i>Myrtaceae</i>			
	<i>Acmena acuminatissimum</i>	n.d.	n.d.
	<i>Callistemon citrinus</i>	n.d.	n.d.
	<i>Psidium guajava</i>	n.d.	n.d.
	<i>Rhodomyntus tomentosa</i>	n.d.	n.d.
	<i>Syzygium aff. cumini</i>	n.d.	n.d.
	<i>Syzygium aff. sterophyllum</i>	n.d.	n.d.
	<i>Syzygium bullockii</i>	n.d.	n.d.
	<i>Syzygium cumini (L.) Skeels</i>	n.d.	n.d.
	<i>Syzygium jambos (L.) Akston</i>	n.d.	n.d.
	<i>Syzygium wightrianum Wall.et Art.</i>	n.d.	n.d.
<i>Nepenthaceae</i>			
	<i>Nepenthes mirabilis</i>	11,12	0.2-0.4 ^a n.d. ^b
<i>Ochnaceae</i>			
	<i>Gomphia striata</i>	9,10,11	1.0-2.0
<i>Oleaceae</i>			
	<i>Jasminum lanceolaria</i>	n.d.	n.d.
	<i>Jasminum longipetalum</i>	n.d.	n.d.
	<i>Jasminum subtriplinerve</i>	n.d.	n.d.
<i>Pandanaceae</i>			
	<i>Pandanus sp.</i>	n.d.	n.d.

<i>Passifloraceae</i>			
	<i>Passiflora wilsonii</i>	10,11,12	0.1-0.2
<i>Pinaceae</i>			
	<i>Pinus khasya</i>	n.d.	n.d.
<i>Piperaceae</i>			
	<i>Piper aff.massiei</i>	n.d.	n.d.
	<i>Piper boehmeriaefolium</i>	n.d.	n.d.
<i>Pittosporaceae</i>			
	<i>Pittosporum baileyianum</i>	n.d.	n.d.
<i>Poaceae</i>			
	<i>Bambusa vulgaris var. aureoret.</i>	n.d.	n.d.
<i>Podocarpaceae</i>			
	<i>Nageia fleuryi</i>	n.d.	n.d.
	<i>Podocarpus pilgeri</i> Foxw.	n.d.	n.d.
<i>Polygalaceae</i>			
	<i>Polygala tonkinensis</i>	10,11	0.2-0.4
<i>Polygonaceae</i>			
	<i>Polygonum chinense</i>	n.d.	n.d.
	<i>Polygonum hydropiper</i>	n.d.	n.d.
<i>Proteaceae</i>			
	<i>Heliciopsis terminalis</i>	n.d.	n.d.
<i>Punicaceae</i>			
	<i>Punica granatum</i>	n.d.	n.d.
<i>Ranunculaceae</i>			
	<i>Cleidiocarpon cavaleriei</i>	n.d.	n.d.
	<i>Naravelia zeylanica</i>	n.d.	n.d.
<i>Rhamnaceae</i>			
	<i>Ziziphus mauritiana</i>	n.d.	n.d.
<i>Rosaceae</i>			
	<i>Dacrydium elatum</i>	n.d.	n.d.
	<i>Dacrydium elatum</i> Wall.ex Hook.	n.d.	n.d.
	<i>Rubus alceifolius</i>	n.d.	n.d.
	<i>Rubus cochinchinensis</i> Tratt.	n.d.	n.d.
<i>Rubiaceae</i>			
	<i>Adina hainanensis</i>	n.d.	n.d.
	<i>Greenia corymbosa</i>	n.d.	n.d.
	<i>Hedyotis</i> sp.	n.d.	n.d.
	<i>Hedyotis capitellata</i>	n.d.	n.d.
	<i>Hedyotis capitellata</i> var. <i>Variegata</i>	n.d.	n.d.
	<i>Hedyotis leptoneura</i>	n.d.	n.d.
	<i>Ixora coccinea</i>	n.d.	n.d.
	<i>Ixora pierrei</i>	n.d.	n.d.
	<i>Lasianthus</i> sp.	11,12	0.1-0.2
	<i>Lasianthus</i> aff. <i>cyanocarpus</i>	n.d.	n.d.
	<i>Lasianthus cyanocarpus</i> Jack	n.d.	n.d.
	<i>Lasianthus hispidus</i> Drake Wallich	n.d.	n.d.
	<i>Lasianthus kamputensis</i>	n.d.	n.d.
	<i>Morinda villosa</i>	n.d.	n.d.

	<i>Mussaenda dehiscentis</i>	n.d.	n.d.
	<i>Mussaenda glabra</i>	n.d.	n.d.
	<i>Mussaenda pubescens</i>	n.d.	n.d.
	<i>Neonauclea purpurea</i>	n.d.	n.d.
	<i>Paederia scandens</i>	n.d.	n.d.
	<i>Psychotria rubra</i>	n.d.	n.d.
	<i>Randia spinosa</i>	n.d.	n.d. ^a n.d. ^b
	<i>Tarenna bonii</i>	n.d.	n.d.
	<i>Uncaria homomalla</i> Miq.	n.d.	n.d.
	<i>Uncaria macrophylla</i>	n.d.	n.d.
	<i>Urophyllum villosum</i>	n.d.	n.d.
	<i>Vidalasia tonkinensis</i>	n.d.	n.d.
	<i>Wendlandia tinctoria</i>	n.d.	n.d.
<i>Rutaceae</i>			
	<i>Citharexylum quadrangulare</i> Jacq.	n.d.	n.d.
	<i>Citrus grandis</i>	n.d.	n.d.
	<i>Citrus reticulata</i>	n.d.	n.d.
	<i>Euodia calophylla</i>	n.d.	n.d.
	<i>Euodia lepta</i>	11,12,13,14	> 4.0
	<i>Euodia meliaefolia</i>	n.d.	n.d.
	<i>Maclurodendron oligophlebia</i>	n.d.	n.d.
	<i>Zanthoxylum aviceniae</i>	n.d.	n.d.
	<i>Zanthoxylum scabrum</i>	11,12,13	2.0-4.0
<i>Sapindaceae</i>			
	<i>Allophylus caudatus</i>	11,12,13	1.0-2.0
	<i>Cardiospermum halicacabum</i>	11,12,13	2.0-4.0
	<i>Dimocarpus longan</i>	12,13,14	2.0-4.0 ^a 1.0-2.0 ^b
	<i>Schleichera oleosa</i> (Lour.) C.Ken.	n.d.	n.d.
<i>Sapotaceae</i>			
	<i>Chrysophyllum cainito</i>	n.d.	n.d.
	<i>Madhuca pasquieri</i>	n.d.	n.d.
	<i>Manilkara zapota</i>	n.d.	n.d.
	<i>Pouteria zapota</i>	n.d.	n.d.
<i>Simaroubaceae</i>			
	<i>Ailanthus triphysa</i>	11,12	0.1-0.2
	<i>Brucea javanica</i>	n.d.	n.d.
<i>Smilacaceae</i>			
	<i>Smilax</i> sp.	n.d.	n.d. ^a n.d. ^b
	<i>Smilax corbularia</i>	10,11,12	2.0-4.0
	<i>Smilax perfoliata</i> (gagnepaini)	9,10	1.0-2.0
<i>Solanaceae</i>			
	<i>Datura metel</i>	sol-9	0.1-0.2
	<i>Solanum nigrum</i> L.	n.d.	n.d.
	<i>Solanum procumbens</i>	10,11,12	0.4-1.0
	<i>Solanum torvum</i>	10,11	0.4-1.0 ^a 0.2-0.4 ^b

			0.1-0.2 ^c
<i>Sterculiaceae</i>			
	<i>Abroma angusta</i>	11,12; 16-20	0.4-1.0
	<i>Pterospermum diversifolium</i>	11,12,13	1.0-2.0
	<i>Reevesia thyrsooides</i>	11,12	0.1-0.2 ^a n.d. ^b
	<i>Scaphium macropodium</i>	n.d.	n.d.
	<i>Sterculia foetida</i> L.	n.d.	n.d.
	<i>Sterculia henryi</i>	n.d.	n.d.
	<i>Sterculiua lanceolata</i>	11,12,13	0.2.0.4
<i>Styracaceae</i>			
	<i>Styrax rufopilosus</i>	n.d.	n.d.
<i>Taxaceae</i>			
	<i>Cunninghamia lanceolata</i>	n.d.	n.d.
<i>Theaceae</i>			
	<i>Adinandra petelotii</i> Gagnep.	n.d.	n.d.
	<i>Camelia sinensis</i>	n.d.	n.d.
	<i>Eurya annamensis</i> Gagnep.	n.d.	n.d.
	<i>Eurya nitida</i>	n.d.	n.d.
	<i>Gordonia axillaris</i>	n.d.	n.d.
	<i>Schima wallichii</i>	11,12,13	0.2-0.4
<i>Thymeleaceae</i>			
	<i>Aquilaria crassna</i>	n.d.	n.d.
	<i>Wikstroemia indica</i>	n.d.	n.d.
<i>Tiliaceae</i>			
	<i>Grewia paniculata</i>	n.d.	n.d.
	<i>Muntingia calabura</i>	10,11,12	1.0-2.0
	<i>Muntingia calabura</i>	10,11,12	0.2-0.4
	<i>Triumfetta bartramia</i>	16,17,18,19,20	0.2-0.4
<i>Ulmaceae</i>			
	<i>Celtis sinensis</i> Pers.	11,12,13	1.0-2.0
	<i>Gironniera subequalis</i> Pl.	11,12	0.1-0.2
	<i>Trema angustifolia</i>	10,11	1.0-2.0
	<i>Trema orientalis</i>	10,11	2.0-4.0
<i>Urticaceae</i>			
	<i>Boehmeria nivea</i>	10,11,12	0.4-1.0
	<i>Urticaceae</i> sp.	n.d.	n.d.
<i>Verbenaceae</i>			
	<i>Callicarpa brevipes</i> Hance	n.d.	n.d.
	<i>Callicarpa rubella</i>	n.d.	n.d.
	<i>Callicarpa</i> sp.	n.d.	n.d.
	<i>Cipadessa baccifera</i>	n.d.	n.d.
	<i>Cleome chelidoni</i>	n.d.	n.d.
	<i>Clerodendrum aff.cochinchiensis</i>	n.d.	n.d.
	<i>Clerodendrum cyrtophyllum</i>	n.d.	n.d.
	<i>Clerodendrum paniculatum</i>	n.d.	n.d.
	<i>Clerodendrum thomsonii</i>	n.d.	n.d.
	<i>Clerodendrum</i> sp.	n.d.	n.d.

	<i>Duranta repens</i>	n.d.	n.d.
	<i>Premna odorata</i>	n.d.	n.d.
	<i>Sphenodesma pentandra</i>	n.d.	n.d.
	<i>Stachytarpetta jamaicensis</i>	n.d.	n.d.
	<i>Tectonia grandis</i>	n.d.	n.d.
	<i>Vitex sumatrana</i>	n.d.	n.d.
<i>Vitaceae</i>			
	<i>Cayratia</i>	11,12,13	0.1-0.2
<i>Zingiberaceae</i>			
	<i>Alpinia globosa</i>	10 - 18	1.0-2.0 ^a 0.1-0.2 ^b

a,b,c indicate data obtained on testing leaves of other individuals of the same species

Supplementary list of plants containing esterified poly-*cis*-prenols in leaves

The chain length of polyprenoid component of the carboxylic ester varied from 16 to 40 isoprene units. The content of the esterified polyprenols varied from 0.1 to 1.0 % of the dry weight of leaves..

Capparis acutifolia (*Capparaceae*); *Endospermum chinense* (*Euphorbiaceae*); *Ricinus communis* (*Euphorbiaceae*); *Sapium discolor* (*Euphorbiaceae*); *Dichroa febrifuga* (*Hydrangeaceae*); *Gomphandra hainanensis* (*Icacinaceae*); *Abelmoschus moschatus* (*Malvaceae*); *Embelia pu;chella* Mez. (*Myrsinaceae*); *Masae balansae* (*Myrsinaceae*); *Pinus kesyia* (*P. Khasya*) (*Pinaceae*); *Nageia fleuryi* (*Podocarpaceae*); *Dacrydium elatum* Wall.ex Hook (*Rosaceae*), *Dacrydium elatum* (*Rosaceae*); *Mussaenda pubescens* (*Rubiaceae*); *Manilkara zapota* (*Sapotaceae*); *Cunninghamia lanceolata* (*Taxaceae*); *Camelia sinensis* (*Theaceae*); *Eurya annamensis* (*Theaceae*).

In *Dacrydium elatum* Wall.ex Hook (*Rosaceae*) the content of polyprenyl esters was 2–4% and the size of molecules was 18,19 and 24–27 isoprene units.